



## RAYONNAGE FERMOSTOCK 6611

### A - CLAYETTE 6611

Longueur \ Profondeur	300	420
360 (330 mm)	13056-16	13057-16
460 (430 mm)	12783-19	12784-19
560 (531 mm)	15053-19	15054-19

### B - SUPPORT LONGERON

Sachet x4	61866
Sachet x8	61867

### C - EMBOUT D'ECHELLE


15173

### D - VERIN

61873-14

### E - RENVOI D'ANGLE

Profondeur	Référence
360	64234
460	64235
560	64236



### F - ECHELLE

Profondeur \ Hauteur	360	460	560
1685	6425311	6425411	6425511
1800	6425311180	6425411180	6425511180
2135	6425311210	6425411210	6425511210
2435	6425311240	6425411240	6425511240

### I - ROULETTE

Frein \ Diamètre	Sans	Avec
100	58844	58845
125	58846	58847

### G - ECHELLE MOBILE

Profondeur \ Hauteur	360	460	560
1800	64314	64315	64316

### PLANCHE ETIQUETTES ADHESIVES

15283

### H - LONGERON

Longueur	Référence	Longueur	Référence
657	1596091066	1197	1596091120
777	1596091078	1317	1596091132
897	1596091090	1497	1596091150
957	1596091096	1617	1596091162
1077	1596091108	1737	1596091174



# FERMOD®



3 avenue Eugène Gazeau - 60300 SENLIS - FRANCE  
 Tél. : +33 (0)3 44 53 12 86 - Fax : +33 (0)3 44 53 62 03  
 www.fermod.com • e-mail: contact@fermod.com

Siège Social : Senlis (Oise) - Société Anonyme au Capital de 1 004 400 €  
 RCS Compiègne B 301 468 211 - Siret 301 468 211 00018 - APE 2572 Z



## OPTIONS - RAYONNAGE FERMOSTOCK 6611

BAC DE RETENTION		
Longueur	Référence	Composition
657	BR657B	
777	BR777B	
897	BR897B	
957	BR957B	
1077	BR1077B	
1197	BR1197B	
1317	BR1317B	
1497	BR1497B	
1617	BR1617B	
1737	BR1737B	



**FIXATION MURALE**

1718000



**FIXATION AU SOL**

15110



**PORTE ETIQUETTE**

61868

BAC A	13072	
BAC B	13073	



# FERMOD®



3 avenue Eugène Gazeau - 60300 SENLIS - FRANCE  
 Tél. : +33 (0)3 44 53 12 86 - Fax : +33 (0)3 44 53 62 03  
 www.fermod.com • e-mail: contact@fermod.com  
 Siège Social : Senlis (Oise) - Société Anonyme au Capital de 1 004 400 €  
 RCS Compiègne B 301 468 211 - Siret 301 468 211 00018 - APE 2572 Z



## RAYONNAGE FERMOSTOCK 6811 - 6811/B

### A - CLAYETTE 6811

Longueur \ Profondeur	300	420
360 (330 mm)	61175	61176
460 (430 mm)	61177	61178
560 (531 mm)	61772	61773

### B - CLAYETTE 6811-B

Longueur \ Profondeur	300	420
360 (330 mm)	60986	60987
460 (430 mm)	60988	60989
560 (531 mm)	60990	60991

### C - SUPPORT LONGERON

Sachet x4	61866
Sachet x8	61867

### D - EMBOUT D'ECHELLE


15173
-------

### E - VERIN

61873-14
----------

### F - RENVOI D'ANGLE

Profondeur	Référence
360	64234
460	64235
560	64236



### G - ECHELLE

Profondeur \ Hauteur	360	460	560
1685	6425311	6425411	6425511
1800	6425311180	6425411180	6425511180
2135	6425311210	6425411210	6425511210
2435	6425311240	6425411240	6425511240

### J - ROULETTE

Diamètre	Frein	
	Sans	Avec
100	58844	58845
125	58846	58847

### H - ECHELLE MOBILE

Profondeur \ Hauteur	360	460	560
1800	64314	64315	64316

### PLANCHE ETIQUETTES ADHESIVES

15283
-------

### I - LONGERON

Longueur	Référence	Longueur	Référence
657	1596091066	1197	1596091120
777	1596091078	1317	1596091132
897	1596091090	1497	1596091150
957	1596091096	1617	1596091162
1077	1596091108	1737	1596091174



# FERMOD®



3 avenue Eugène Gazeau - 60300 SENLIS - FRANCE  
 Tél. : +33 (0)3 44 53 12 86 - Fax : +33 (0)3 44 53 62 03  
 www.fermod.com • e-mail: contact@fermod.com

Siège Social : Senlis (Oise) - Société Anonyme au Capital de 1 004 400 €  
 RCS Compiègne B 301 468 211 - Siret 301 468 211 00018 - APE 2572 Z



## OPTIONS - RAYONNAGE FERMOSTOCK 6811 - 6811/B

### BAC DE RETENTION

Longueur	Référence	Composition
657	BR657B	
777	BR777B	
897	BR897B	
957	BR957B	
1077	BR1077B	
1197	BR1197B	
1317	BR1317B	
1497	BR1497B	
1617	BR1617B	
1737	BR1737B	



#### FIXATION MURALE

1718000



#### FIXATION AU SOL

15110



#### PORTE ETIQUETTE

61868

BAC A	13072	
BAC B	13073	



# FERMOD®



3 avenue Eugène Gazeau - 60300 SENLIS - FRANCE  
 Tél. : +33 (0)3 44 53 12 86 - Fax : +33 (0)3 44 53 62 03  
 www.fermod.com • e-mail: contact@fermod.com  
 Siège Social : Senlis (Oise) - Société Anonyme au Capital de 1 004 400 €  
 RCS Compiègne B 301 468 211 - Siret 301 468 211 00018 - APE 2572 Z